

1.STAGE BAILOUT

Certificate no: DSC-2026-000356

Service date: 18.02.2026

Valid until: 18.02.2027

Result: **Approved**

Equipment details

Customer: Otech AS
Producer: Poseidon
Serial no: 2201074
Service interval: 12 months

Location: CCB
Model: Cyklon
Build year: -

NOTE

Tested with Labtec PRO.

This is a certificate confirmation, the documentation has a separate file.

Technician

Serviced by: Daniel Kristensen

Signature



workshop: DS BERGEN AS		person:	Thomas Eriksson
street: Storebotn 55G		phone:	91649162
place: 5309 Kleppestø		fax:	
		email:	Daniel@dsbergen.no
customer: Otech Marine Services AS		person:	Stefan
street:		phone:	48608560
place: Ågotnes		fax:	
		email:	sts@otech.no
device data:	deadlines:	device-info:	service:
device no: 2201074	1 y test 04.03.2027		- 1 year service
	1 y srv 04.03.2027		- cleaning and
	10 y srv 25.06.2034		disinfection
type: Poseidon Cyklon			
class: diving system basic			
location: Transporter Boat			

tests/measurements	unit	min	max	actual	result
visual test (0 = ok) input mask: (0 = classic, > 0 = extended/list...)			0	0	OK
High-pressure leak test, test time: 0,5 min, test pressure: bar	bar	-5		0	OK
safety valve opening pressure	bar	12	21	16,1	OK
static medium pressure at 150 bar cylinder pressure	bar	8	10,5	9,4	OK
MP leakage after 0,5 min at 190 bar lmt. 1 0=rel.1=abs. pulse	bar		10,5	9,6	OK
pressure comparison at 190 bar	bar	-10	10	-3	OK
pressure comparison at 60 bar	bar	-10	10	1	OK
pressure release of test equipment (HP, MP and LP)				0	OK

test executed: 04.03.2026 15:58
 by: Thomas Eriksson

result:

test signed: 04.03.2026 15:58
 by: Thomas Eriksson

device ready for use

LabNet V: 2025.12.2.0

next test on: 04.03.2027