

<b>workshop:</b> DS BERGEN AS		person:	Thomas Eriksson
street: Storebotn 55G		phone:	91649162
place: 5309 Klippestø		fax:	
		email:	Daniel@dsbergen.no
<b>customer:</b> Valen Marina AS		person:	Ryder Hunt
street: Døsjevegen 66		phone:	
place: Kolltveit		fax:	
		email:	ryder.hunt@valenmarina.no
<b>device data:</b>	<b>deadlines:</b>	<b>device info:</b>	<b>service:</b>
device no: 211103475	1 y test 22.01.2027 1 y srv 22.01.2027		- 1 year service - cleaning and disinfection
type: Apeks DS4			
class: diving system basic			
location: Mobil Henger			

BO 1.trinn m/ OPV og manometer

tests/measurements	unit	min	max	actual	result
visual test (0 = ok input mask: (0 = classic, > 0 = extended/list...))			0	0	OK
High-pressure leak test, test time: 0,5 min, test pressure: bar	bar	-5		0	OK
safety valve opening pressure	bar	12	21	17,8	OK
static medium pressure at 200 bar cylinder pressure	bar	7	10,5	9,5	OK
MP leakage after 0,5 min at 200 bar 1mt. 1 0=rel. 1=abs. pulse	bar		10,5	9	OK
pressure comparison at 200 bar	bar	-10	10	-1	OK
pressure comparison at 60 bar	bar	-10	10	-5	OK
pressure release of test equipment (HP, MP and LP)				0	OK

test executed: 22.01.2026 23:35  
 by: Thomas Eriksson

result:

test signed: 22.01.2026 23:36  
 by: Thomas Eriksson

device ready for use

LabNet V: 2025.12.2.0

next test on: 22.01.2027