

workshop: DS BERGEN AS		person:	Daniel Kristensen
street: Storebotn 55G		phone:	91649162
place: 5309 Klippestø		fax:	
		email:	Daniel@dsbergen.no
customer: Valen Marina AS		person:	Ryder Hunt
street: Døsjevegen 66		phone:	
place: Kolltveit		fax:	
		email:	ryder.hunt@valenmarina.no
device data:	deadlines:	device info:	service:
device no: P1807017	1 y test 11.02.2027 1 y srv 11.02.2027		- 1 year service - cleaning and disinfection
type: Poseidon Cyclon			
class: diving system basic			
location: Poseidon			

tests/measurements	unit	min	max	actual	result
visual test (0 = ok input mask: (0 = classic, > 0 = extended/list...))			0	0	OK
High-pressure leak test, test time: 0,5 min, test pressure: bar	bar	-5		0	OK
safety valve opening pressure	bar	12	21	13,9	OK
static medium pressure at 150 bar cylinder pressure	bar	8	10,5	9,9	OK
MP leakage after 0,5 min at 190 bar 1mt. 1 0=rel. 1=abs. pulse	bar		10,5	10	OK
pressure comparison at 190 bar	bar	-10	10	4	OK
pressure comparison at 60 bar	bar	-10	10	-4	OK
pressure release of test equipment (HP, MP and LP)				0	OK

test executed: 11.02.2026 22:07
 by: Daniel Kristensen
 test signed: 11.02.2026 22:07
 by: Daniel Kristensen

result:
device ready for use

LabNet V: 2025.12.2.0

next test on: 11.02.2027