

workshop: DS BERGEN AS		person:	Thomas Eriksson
street: Storebotn 55G		phone:	91649162
place: 5309 Klippestø		fax:	
		email:	Daniel@dsbergen.no
customer: Otech Marine Services AS		person:	Stefan
street:		phone:	48608560
place: Ågotnes		fax:	
		email:	sts@otech.no
device data:	deadlines:	device-info:	service:
device no: 1910028	1 y test 04.03.2027 1 y srv 04.03.2027		- 1 year service - cleaning and disinfection
type: Poseidon Cyclon			
class: diving system basic			
location: LDC			

tests/measurements	unit	min	max	actual	result
visual test (0 = ok input mask: (0 = classic, > 0 = extended/list...))			0	0	OK
High-pressure leak test, test time: 0,5 min, test pressure: bar	bar	-5		0	OK
safety valve opening pressure	bar	12	21	17,6	OK
static medium pressure at 150 bar cylinder pressure	bar	8	10,5	9,5	OK
MP leakage after 0,5 min at 190 bar lmt. 1 0=rel. 1=abs. pulse	bar		10,5	9,8	OK
pressure comparison at 190 bar	bar	-10	10	-6	OK
pressure comparison at 60 bar	bar	-10	10	3	OK
pressure release of test equipment (HP, MP and LP)				0	OK

test executed: 04.03.2026 16:12
 by: Thomas Eriksson

test signed: 04.03.2026 16:13
 by: Thomas Eriksson

LabNet V: 2025.12.2.0

next test on: 04.03.2027

result:

device ready for use