

workshop: DS BERGEN AS		person:	Daniel Kristensen
street: Storebotn 55G		phone:	91649162
place: 5309 Klippepestø		fax:	
		email:	Daniel@dsbergen.no
customer: Sjøentreprenøren AS		person:	Ingnar Aune
street:		phone:	
place: Bergen		fax:	
		email:	ingnar.aune@ncc.no
device data:	deadlines:	device-info:	service:
device no: 241101115	1 y test 06.04.2027 1 y srv 06.04.2027		- 1 year service - cleaning and disinfection
type: Apeks DS4			
class: diving system basic			
location: Alu kontainer			

BO1. trinn.
 Nytt manometer, HP-slange og regulator slange

tests/measurements	unit	min	max	actual	result
visual test (0 = ok) input mask: (0 = classic, > 0 = extended/list...)			0	0	OK
High-pressure leak test, test time: 0,5 min, test pressure: bar	bar	-5		-1	OK
safety valve opening pressure	bar	12	21	17,2	OK
static medium pressure at 200 bar cylinder pressure	bar	7	10,5	9,6	OK
MP leakage after 0,5 min at 200 bar 1mt. 1 0=rel. 1=abs. pulse	bar		10,5	8,4	OK
pressure comparison at 200 bar	bar	-10	10	-3	OK
pressure comparison at 60 bar	bar	-10	10	-2	OK
pressure release of test equipment (HP, MP and LP)				0	OK

test executed: 06.04.2026 12:16
 by: Daniel Kristensen

test signed: 06.04.2026 12:17
 by: Daniel Kristensen

LabNet V: 2025.12.2.0

next test on: 06.04.2027

result:

device ready for use